

Husqvarna AA 77

Husqvarna AA is a series of premium mechanical pendulum concrete vibrators designed for heavy-duty applications and demanding sites. Powered by modern petrol or diesel drive units, it offers high performance and usability. The ergonomic design reduces vibrations, while the use of durable materials contributes to a long service life. It also features a durable quick coupling with flexible shaft.



- Frequency, **9200**
vpm
- Tube **75 mm**
diameter
- Vibration **3.16 m/s²**
value, m/s²
- Tube weight **9**

Article number : POKERS AA 77 6 M - 967

85 77-01

FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.

Extend your reach

A length six-metre hose provides excellent reach around the worksite, giving you more control. ter hose provides excellent reach around the worksite, giving you more control.

Designed to perform

The conical shape of the pendulum raceway increases the friction area within the vibrator head to help maintain speed and prevent a loss in rpm.

Built to last

The use of induction-hardened magnesium steel alloy in the major wearing parts and steel reinforcement in the rubber hose contribute to a long service life.

Simple, cost-effective maintenance

The overall simplicity of the design ensures maintenance is easy and inexpensive.

SPECIFICATIONS


Specifications

Frequency, vpm

9200

Vibration value, m/s²

3.16 m/s²



Tube diameter

75 mm

Tube weight

9

Sound and noise

Sound power level, measured

75.7 dB(A)

Husqvarna AA 67

Husqvarna AA is a series of premium mechanical pendulum concrete vibrators designed for heavy-duty applications and demanding sites. Powered by modern petrol or diesel drive units, it offers high performance and usability. The ergonomic design reduces vibrations, while the use of durable materials contributes to a long service life. It also features a durable quick coupling with flexible shaft.

- Frequency, vpm **10500**
- Tube diameter **63 mm**
- Vibration value, m/s² **2.66**
- Tube weight, kg **6.8**

Article number : POKERS AA 67 6 M - 967 85 76-01



FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.

Extend your reach

A length six-metre hose provides excellent reach around the worksite, giving you more control. ter hose provides excellent reach around the worksite, giving you more control.

Designed to perform

The conical shape of the pendulum raceway increases the friction area within the vibrator head to help maintain speed and prevent a loss in rpm.

Built to last

The use of induction-hardened magnesium steel alloy in the major wearing parts and steel reinforcement in the rubber hose contribute to a long service life.

Simple, cost-effective maintenance

The overall simplicity of the design ensures maintenance is easy and inexpensive.


SPECIFICATIONS

Specifications

Frequency, vpm **10500**
Vibration value, m/s² **2.66**

Sound and noise

Sound power level, measured **75.8 dB(A)**



Tube diameter **63 mm**
Tube weight, kg **6.8**

Husqvarna AA 47

Husqvarna AA is a series of premium mechanical pendulum concrete vibrators designed for heavy-duty applications and demanding sites. Powered by modern petrol or diesel drive units, it offers high performance and usability. The ergonomic design reduces vibrations, while the use of durable materials contributes to a long service life. It also features a durable quick coupling with flexible shaft.

- Frequency, vpm **11200**
- Tube diameter **50 mm**
- Vibration value, m/s² **3.52**
- Tube weight, kg **4**

Article number : POKERS AA 47 - 967 85 75-01



FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.

Extend your reach

A length six-metre hose provides excellent reach around the worksite, giving you more control. ter hose provides excellent reach around the worksite, giving you more control.

Designed to perform

The conical shape of the pendulum raceway increases the friction area within the vibrator head to help maintain speed and prevent a loss in rpm.

Built to last

The use of induction-hardened magnesium steel alloy in the major wearing parts and steel reinforcement in the rubber hose contribute to a long service life.

Simple, cost-effective maintenance

The overall simplicity of the design ensures maintenance is easy and inexpensive.


SPECIFICATIONS

Specifications

Frequency, vpm **11200**
Vibration value, m/s² **3.52**

Sound and noise

Sound power level, measured **73 dB(A)**



Tube diameter **50 mm**
Tube weight, kg **4**

Husqvarna AA 37

Husqvarna AA is a series of premium mechanical pendulum concrete vibrators designed for heavy-duty applications and demanding sites. Powered by modern petrol or diesel drive units, it offers high performance and usability. The ergonomic design reduces vibrations, while the use of durable materials contributes to a long service life. It also features a durable quick coupling with flexible shaft.

- Frequency, **12000**
vpm
- Tube **39 mm**
diameter
- Vibration **1.56 m/s²**
value, m/s²
- Tube weight **2.1**

Article number : POKERS AA 37 - 967 85

74-01



FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.

Extend your reach

A length six-metre hose provides excellent reach around the worksite, giving you more control. ter hose provides excellent reach around the worksite, giving you more control.

Designed to perform

The conical shape of the pendulum raceway increases the friction area within the vibrator head to help maintain speed and prevent a loss in rpm.

Built to last

The use of induction-hardened magnesium steel alloy in the major wearing parts and steel reinforcement in the rubber hose contribute to a long service life.

Simple, cost-effective maintenance

The overall simplicity of the design ensures maintenance is easy and inexpensive.

SPECIFICATIONS

Specifications

Frequency, vpm

12000

Vibration value, m/s²

1.56 m/s²



Tube diameter

39 mm

Tube weight

2.1

Sound and noise

Sound power level, measured

68 dB(A)

Husqvarna AA 27

Husqvarna AA is a series of premium mechanical pendulum concrete vibrators designed for heavy-duty applications and demanding sites. Powered by modern petrol or diesel drive units, it offers high performance and usability. The ergonomic design reduces vibrations, while the use of durable materials contributes to a long service life. It also features a durable quick coupling with flexible shaft.

- Frequency, **12000**
vpm
- Tube **55 mm**
diameter
- Vibration **2.46 m/s²**
value, m/s²
- Tube weight **0.9**

Article number : POKERS AA 27 - 967 85

73-01



FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.

Extend your reach

A length six-metre hose provides excellent reach around the worksite, giving you more control. ter hose provides excellent reach around the worksite, giving you more control.

Designed to perform

The conical shape of the pendulum raceway increases the friction area within the vibrator head to help maintain speed and prevent a loss in rpm.

Built to last

The use of induction-hardened magnesium steel alloy in the major wearing parts and steel reinforcement in the rubber hose contribute to a long service life.

Simple, cost-effective maintenance

The overall simplicity of the design ensures maintenance is easy and inexpensive.

SPECIFICATIONS


Specifications

Frequency, vpm

12000

Vibration value, m/s²

2.46 m/s²



Tube diameter

55 mm

Tube weight

0.9

Sound and noise

Sound power level, measured

69 dB(A)