



DEMOLITION EQUIPMENT

HUSQVARNA DXR 95

Art.no: 970 69 69 01

Now you can do more – a lot more – in less space. Compact and portable, the DXR 95 brings pure demolition power to all kinds of confined areas – from narrow passageways to tight crawl spaces, and even steep inclines. When it comes to boosting your productivity, the DXR 95 is a demolition robot that delivers maximum impact. This model is third-party certified regarding EMC and the EU Machinery Directive.

FEATURES



Small footprint

This machine fits in an ordinary van – perfect for construction and industrial applications.



Heavy-duty arm system

The arm is robust, strong and durable yet low in weight.



Superb power-to-weight ratio

Compact and powerful, yet low in weight.



Protection of vital parts

The electric motor, hoses and cables are protected by the robust lower chassis.

TECHNICAL DATA HUSQVARNA DXR 95

Art.no: 970 69 69 01

HUSQVARNA DXR 95

MOTOR

Rated input power	9.8 kW
Frequency	50 Hz

BATTERY

Battery chemistry	Li-Ion
-------------------	--------

HYDRAULICS

Oil capacity	26 l
Hydraulic oil flow	32 l/min
Hydraulic pressure, max	250 bar

OTHER

Factory option	Standard
Telescopic arm	No
Range of wireless transmission	Up to 300 m
Signal transmission	Radio/cable
Radio	2.4 GHz

DIMENSIONS

Reach (up)	3.16 m
Reach (forward)	2.67 m
Product size length	1,510 mm
Product size width	600 mm
Product size height	922 mm
Weight (complete product w/o side packed articles)	589 kg
Packaging length	2,000 mm
Packaging width	800 mm
Packaging height	1,060 mm
Article gross weight	6,65,000 g



View all product details on:

<https://www.husqvarnaconstruction.com/in/demolition-equipment/dxr95/>



DEMOLITION ROBOT TOOLS
SB 52

Impact energy:
101 Joule
Weight (complete product w/o side packed articles):
67 kg
Hydraulic oil flow:
27 l/min
Product size width:
284 mm



DEMOLITION ROBOT TOOLS
SB 102

Impact energy:
159 Joule
Weight (complete product w/o side packed articles):
88 kg
Hydraulic oil flow:
35 l/min
Product size width:
340 mm



DEMOLITION ROBOT TOOLS
ER 40

Weight (complete product w/o side packed articles):
90 kg
Rotation angle:
360 °
Hydraulic oil flow:
40 l/min
Product size width:
387 mm