

Husqvarna DM 650

Our most powerful and versatile electric core drill for drilling holes up to 600 mm diameter. Equipped with high frequency PRIME™ technology. The high power output, low weight, user-friendly setup and intelligent design makes DM 650 the perfect choice for heavy-duty applications. Can be used with either PP 65 or PP 220 as a power source. Suitable for water evacuation, plumbing and waste evacuation pipes.

⌀ Drill bit **600 mm**
diameter with
stand, max

Article number : DRILL MOTOR DM 650 11/4"

- 966 56 36-01



FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.



Extremely powerful

The motor delivers 6 kW on the spindle (3 kW on 1-phase).



Adjustable rpm range

18-step adjustable rpm range ensures optimal speed for all drill bit dimensions.

Minimal service needs

Dust and water proof, water-cooled motor with minimal service requirements.



Durable and ergonomic design

Durable and shock-proof, designed to protect the electronics. Easy to carry and install thanks to low weight and ergonomic design.



- Drill with maximum pressure
- Torque boost
- Elgard™
- Load indicator

- Core drilling
- Reinforced concrete and brick
- Heavy-duty applications

SPECIFICATIONS



Dimensions

Water connector	G 1 / 4"
Weight	14 kg
Product size length	452 mm
Product size width	164 mm



Motor

Electronic product	Yes
Rated input power	6 kW

Specifications

Water flow, min	0.5 l/min
Water pressure, max	8 bar
Spindle thread, outer	1 1/4" 7 UNC



Drilling equipment

Drill bit diameter with stand, max	600 mm
Recommended drill bit diameter, min	100 mm



Sound and noise

Sound power level, guaranteed (LWA)	113 dB(A)
Sound power level, measured	112 dB(A)
Sound pressure level at operators ear	98 dB(A)



Transmission

Number of gearbox speeds	2
--------------------------	----------