

Husqvarna DS 250

DS 250 is a mid-sized drill stand. This lightweight stand made of aluminium has a combined base plate to enable both anchoring and vacuum. An ideal choice for core drilling applications up to 250 mm diameter. Suitable for stitch and angle drilling for ventilation and plumbing.

○ Drill bit diameter, max **250 mm**

● Travel length, max **685 mm**

Article number : DRILL STAND DS 250

EU+RoW - 966 82 73-01



FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.



Straight and accurate drilling

The carriage has guide rollers which helps drill straight holes.

Angle drilling

The unit can be set for drilling at different angles.

- User-friendly base plate
- Quick mounting of drill motor
- Easy transportation
- Channels, pipes and cables



Vertical drilling

Drilling upwards and downwards.

- Angle drilling
- Horizontal drilling
- Stitch drilling

Optimum cranking speed


Carriage with single and double gearing for efficient drilling.

SPECIFICATIONS



Drilling equipment

Drill bit diameter, max	250 mm
Drill bit length with recommended drill motor, max	584/700 mm



Dimensions

Travel length, max	685 mm
Product size length	409 mm
Product size width	266 mm
Product size height	1045 mm
Weight	16 kg

Specifications

Column's angling	0-60°
------------------	--------------