



DUST AND SLURRY EQUIPMENT

HUSQVARNA S 26

Art.no: 967 66 39 05


S 26 is a powerful single-phase HEPA dust extractor to match the grinding machines Husqvarna PG 280, PG 450 and early entry saw Soff-Cut 150. It also matches small scarifiers and shot blasters as well as handheld power tools. This professional dust extractor is suitable for building, grinding, plaster and concrete dust. Equipped with two tested and certified HEPA H13 filters. Features include Jet Pulse pre-filter cleaning, hour counter and vacuum meter for filter control. The non-marking wheels are puncture free and lock at the front. The Longopac® bag hose system ensures simple, dust-free bag changes.

FEATURES



Efficient filtration system

The three separate filtering stages result in longer working time between filter cleaning. The dust is filtered through a cyclone chamber, which separate the heaviest parts, up to 95% of the dust, before the washable main filter. The HEPA micro filters are individual tested and certified to capture 99.99% of the remaining silica dust in the respirable fraction (0.3µm).



Easy and efficient filter cleaning

The Jet Pulse filter cleaning system ensures high continuous airflow thanks to easy and efficient cleaning of the conical main filter without opening the machine.



Durable design

Corrosion-resistant steel clamps, welded frame with dust bag platform and durable steel handle make it ready to serve for many years.



Easy to transport

The welded frame enables easy transportation by resting the machine on the frame.

TECHNICAL DATA HUSQVARNA S 26

Art.no: 967 66 39 05

HUSQVARNA S 26

MOTOR

Rated input power	2.4 kW
Phases	1 ph
Voltage	220-230 V
Rated current	10.4 A
Frequency	50-60 Hz
Max. vacuum	220 mbar
Power source	Corded

PRODUCT DATA

Air flow	321 m³/h
Airflow at turbine	400 m³/h
Primary filtration area	3 m²
HEPA Filters 99.99% at 0.3 microns	2

DIMENSIONS

Product size length	756 mm
Product size width	546 mm
Product size height	1,275 mm
Weight (complete product w/o side packed articles)	47 kg
Packaging length	740 mm
Packaging width	560 mm
Packaging height	1,300 mm
Article gross weight	51,560 g



View all product details on:

<https://www.husqvarnaconstruction.com/in/dust-and-slurry-equipment/s26/>



DISC CUTTERS

K/770 VAC

Power source:

Petrol

Output power:

3.7 kW

Cutting depth, max:

122 mm

Weight (complete product w/o side packed articles):

11 kg



[husqvarnaconstruction.com](https://www.husqvarnaconstruction.com)