



FLOOR GRINDERS

HUSQVARNA PG 280 S

Art.no: 970 84 35 01


The PG 280 S is a basic, entry-level floor grinding machine. It effectively removes adhesives, paints, epoxy coatings and levelling compounds. It has a grinding width of 280 mm making it suitable for small to medium-sized concrete floors. Quick-release couplings allow the grinding head to be easily disconnected from the chassis when transporting the machine. Only available as a single-phase machine.

FEATURES



Easy to use

The speed is fixed and no settings are required. The machine also has an user-friendly logical control panel with overload protection.



Efficient dust management

Self-adjusting floating cover with brush list follows the surface and gives a tight seal to prevent the dust from entering the working environment.



Separable parts

Quick-release couplings allow the chassis and motor to be easily disconnected.

Time saving tool change

EZchange™ is an instant and hassle-free system for changing diamond tooling.

TECHNICAL DATA HUSQVARNA PG 280 S

Art.no: 970 84 35 01

HUSQVARNA PG 280 S

ENGINE

Engine Power (As rated by the engine manufacturer)	2.2 kW
--	--------

MOTOR

Power source	Corded
Phases	1 ph
Voltage	220-240 V
Rated current	13 A
Frequency	50 Hz
Pins	2

EQUIPMENT

Grinding width	280 mm
Number of grinding discs	1
Grinding disc diameter	280 mm
Grinding disc speed max	1,410 rpm
Grinding pressure, max	25 kg

DIMENSIONS

Product size length	1,185 mm
Product size width	430 mm
Product size height	980 mm
Weight (complete product w/o side packed articles)	76 kg
Packaging length	870 mm
Packaging width	470 mm
Packaging height	920 mm
Article gross weight	92,500 g



View all product details on:

<https://www.husqvarnaconstruction.com/in/floor-grinders/pg280s/>



TEST EQUIPMENT
**ICRI PROFILE PLASTIC
CHIPSET**

Accessory for:
Floor grinders, Shot blasters, Floor scarifiers,
Floor shavers



TEST EQUIPMENT
**ICRI PROFILE CONCRETE
SET**

Accessory for:
Floor grinders, Shot blasters, Floor scarifiers,
Floor shavers



husqvarnaconstruction.com