



FLOOR SAWS

HUSQVARNA FS 400 LV

Art.no: 965 14 82 21

Our robust FS 400 LV is a convenient all-round petrol push floor saw. The adjustable handle ensures an ergonomic working position. Perfect weight distribution gives excellent stability while sawing. Ideal for small road repair jobs in concrete or asphalt, up to 189 mm cutting depth.

FEATURES



Easy to operate

Productive and robust with excellent weight distribution and stability.




Adjustable handles

Provides a closer and more comfortable position to the cutting side for easier alignment and straighter cuts. Handle can also be folded for transport.



Easy to transport

Compact saw that is easy to lift.



Large integrated water tank

Quick connection for water hose to the blade guard. No tools required for dis-assembly.

TECHNICAL DATA HUSQVARNA FS 400 LV

Art.no: 965 14 82 21

HUSQVARNA FS 400 LV

ENGINE

Motor/engine manufacturer	Kohler
Engine Power (As rated by the engine manufacturer)	8.7 kW
Engine cooling	Air
Fuel tank volume	6.1 l
Number of strokes	4-stroke engine
Cylinders	1
Power source	Petrol

CUTTING EQUIPMENT

Cutting depth, max	162 mm
Blade diameter, max	450 mm
Arbor diameter	25.4 mm

DIMENSIONS

Product size length	1,150 mm
Product size width	615 mm
Product size height	940 mm
Weight (complete product w/o side packed articles)	104 kg
Packaging length	1,050 mm
Packaging width	740 mm
Packaging height	1,130 mm
Article gross weight	1,34,000 g




View all product details on:

<https://www.husqvarnaconstruction.com/in/floor-saws/fs400lv/>



Husqvarna

© 2025 Husqvarna AB. All rights reserved. Specifications subject to change without notice.



FLOOR SAW BLADES
ELITE-CUT™ F610

Diameter mm:
500/-/800mm
Arbor diameter:
25.4 mm



FLOOR SAW BLADES
ELITE-CUT™ F620

Diameter mm:
500/-/800mm
Arbor diameter:
25.4 mm



FLOOR SAW BLADES
ELITE-CUT™ S85

Diameter mm:
450 / 500 / 600 mm
Segment height mm:
12 mm
Arbor diameter:
25.4 mm



POWER CUTTER BLADES
ELITE-CUT™ S85

Diameter mm:
300 / 350 / 400 mm
Segment height mm:
12 mm
Arbor diameter:
25.4/20 mm



Husqvarna