



## FLOOR SAWS

# HUSQVARNA FS 410 D

Art.no: 965 15 01 16

Our highly versatile FS 410 D is a compact diesel push floor saw developed with a clear focus on your comfort. Ideal for small to mid-sized service and repair jobs in asphalt and concrete. Cuts up to 189 mm deep.

## FEATURES



### Low vibrations

Engine and blade shaft mounting system increases comfort and gives excellent cutting performance.



### Low maintenance

The IntelliSeal blade shaft system allows for a minimum of 250 maintenance-free hours without daily greasing of bearings.



### Easy to raise and lower the blade

Spring-assisted screw feed facilitates blade adjustment in and out of the cut.



### Easy to transport

Compact saw that is easy to lift.

## TECHNICAL DATA HUSQVARNA FS 410 D

Art.no: 965 15 01 16

HUSQVARNA FS 410 D

### ENGINE

Motor/engine manufacturer	Yanmar
Engine Power (As rated by the engine manufacturer)	6.8 kW
Engine cooling	Air
Fuel tank volume	5.4 l
Number of strokes	4-stroke engine
Cylinders	1
Exhaust emissions (CO, EU V)	903 g/kWh
Power Source	Diesel

### CUTTING EQUIPMENT

Cutting depth, max	189 mm
Blade diameter, max	500 mm
Arbor diameter	25.4 mm
Blade depth control	Hand wheel

### DIMENSIONS

Product size length	61.3 in
Product size width	25.1 in
Product size height	42.7 in
Weight	364 lbs
Weight (complete product w/o side packed articles)	165 kg
Packaging length	1,130 mm
Packaging width	730 mm
Packaging height	1,260 mm
Article gross weight	1,93,000 g



View all product details on:

<https://www.husqvarnaconstruction.com/in/floor-saws/fs410d/>




**FLOOR SAW BLADES  
ELITE-CUT™ S85**

**Diameter mm:**  
450 / 500 / 600 mm  
**Segment height mm:**  
12 mm  
**Arbor diameter:**  
25.4 mm



**POWER CUTTER BLADES  
ELITE-CUT™ S85**

**Diameter mm:**  
300 / 350 / 400 mm  
**Segment height mm:**  
12 mm  
**Arbor diameter:**  
25.4/20 mm



**POWER CUTTER BLADES  
TACTI-CUT™ S50 PLUS**

**Diameter mm:**  
400 mm  
**Segment height mm:**  
13 mm  
**Arbor diameter:**  
25.4/20 mm



**POWER CUTTER BLADES  
TACTI-CUT™ S65**

**Diameter mm:**  
350 / 400 mm  
**Segment height mm:**  
10 mm  
**Arbor diameter:**  
25.4/20 mm



[husqvarnaconstruction.com](https://www.husqvarnaconstruction.com)