



## FLOOR SAWS

# HUSQVARNA FS 600 E

Art.no: 970 49 29 02


FS 600 E is a versatile CE-Eurotest certified electric small push floor saw for left and right hand sawing suitable for indoor sawing. Optimised weight and balance to ensure ergonomic working position and zero CO<sub>2</sub> emissions during use. The built in water tank enables to cut without external water supply. Suitable for small sized service and repair jobs for a majority of floor sawing applications.

## FEATURES



### Zero CO<sub>2</sub> emissions during use

Enjoy the freedom of working with an electric machine. Explore the potential of new applications by running the machine indoors or in urban areas where emissions or noise levels might be regulated.



### Left- and right-side blade mounting

Left and right-side blade mounting, together with a 2-piece blade guard, enables cutting into corners and closer to other obstructions. Eliminates the need for hand cutting.



### Thermal overload motor protection

Thermal overload motor protection reduces the risk of motor failures. GFCI/PRCD equipped for operator protection.



### Sealed blade shaft

Sealed blade shaft reduces maintenance and service.

## TECHNICAL DATA HUSQVARNA FS 600 E

Art.no: 970 49 29 02

HUSQVARNA FS 600 E

### ENGINE

Motor/engine manufacturer	WEG
Engine Power (As rated by the engine manufacturer)	7.5 kW
Engine cooling	Air
Power Source	Corded

### MOTOR

Rated current	15 A
Voltage	400 V
Frequency	50 Hz
Phases	3 ph

### CUTTING EQUIPMENT

Cutting depth, max	240 mm
Blade diameter, max	600 mm
Arbor diameter	25.4 mm
Blade depth control	Manual control with indicator

### DIMENSIONS

Product size length	50.2 in
Product size width	27.6 in
Product size height	38.8 in
Weight	393 lbs
Weight (complete product w/o side packed articles)	178 kg
Packaging length	1,060 mm
Packaging width	740 mm
Packaging height	1,140 mm
Article gross weight	2,09,000 g



View all product details on:

<https://www.husqvarnaconstruction.com/in/floor-saws/fs600e/>




**FLOOR SAW BLADES  
ELITE-CUT™ S85**

**Diameter mm:**  
450 / 500 / 600 mm  
**Segment height mm:**  
12 mm  
**Arbor diameter:**  
25.4 mm




**POWER CUTTER BLADES  
ELITE-CUT™ S85**

**Diameter mm:**  
300 / 350 / 400 mm  
**Segment height mm:**  
12 mm  
**Arbor diameter:**  
25.4/20 mm



**FLOOR SAW BLADES  
ELITE-CUT™ F610**

**Diameter mm:**  
500/-/800mm  
**Arbor diameter:**  
25.4 mm



**POWER CUTTER BLADES  
TACTI-CUT™ S50 PLUS**

**Diameter mm:**  
400 mm  
**Segment height mm:**  
13 mm  
**Arbor diameter:**  
25.4/20 mm



**POWER CUTTER BLADES  
TACTI-CUT™ S65**

**Diameter mm:**  
350 / 400 mm  
**Segment height mm:**  
10 mm  
**Arbor diameter:**  
25.4/20 mm