

Husqvarna PG 400

PG 400 is a versatile and very productive single disc floor grinder for a wide range of applications. With its 400 mm wide grinding width it efficiently grinds adhesives, paint, epoxy and spackle on medium to large concrete areas. PG 400 is easy to transport due to its compact and foldable frame. The machine is designed to facilitate an ergonomic work position and is easy and convenient to use.

- ⊕ Grinding width **400 mm**
- Phases **3**

Article number : FLOOR GRINDER PG 400

400-480 V | 3-ph | 50 Hz | EU | 5-pin - 967

96 64-01



FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.



Versatile

Productive machine for the small hard to get to areas, as well as larger areas.



Easy removal

Offers efficient grinding of adhesive, paint, epoxy and spackle.

Easy to use

The speed is fixed and no settings are required. The machine also has an user-friendly logical control panel with overload protection.



Efficient dust management

Self-adjusting floating cover with brush list follows the surface and gives a tight seal to prevent the dust from entering the working environment.



- Time saving tool change
- Ergonomic working position


- Hour meter

SPECIFICATIONS



Motor

Rated current	9 A
Voltage	400-480 V
Phases	3
Pins	5-pin
Frequency	50 Hz



Dimensions

Product size length	1360 mm
Product size width	470 mm
Product size height	960 mm
Weight	110 kg

Other

Grinding width	400 mm
Grinding disc diameter	400 mm
Grinding disc speed max	1450 rpm
Grinding pressure, max	49 kg
Number of grinding discs	1