

Husqvarna FS 524

Our convenient FS 524 is a powerful, yet compact, self-propelled petrol floor saw ideal for asphalt and concrete cutting. Suitable for small to medium-sized service and repair jobs, up to 241 mm cutting depth. The optimal power transmission makes it ideal for more demanding jobs, despite its compact size. User-friendly and developed with a clear focus on your comfort.

✿ Cutting depth, max **241 mm**

● Output power **15.5 kW**
(As rated by the engine/motor manufacturer)

✿ Blade diameter, max **600 mm**

Article number : FLOOR SAW FS 524 21 hp |

24" | Honda | w/tank - 965 15 02-05




FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.



Self-propelled

For easy operation and comfort.




Low vibrations

Engine and blade shaft mounting system increases comfort and gives excellent cutting performance.

Self-contained drive system

Self-contained differential drive system eliminating drive gear from rear wheels and related wear. It is simple to handle and maintain.



Optimal power transmission to the blade

Enhanced belt tensioning system gives constant tension without need of re-tensioning, ensuring optimal performance and increased belt life.



- Low maintenance
- Adjustable handles

- Clear depth indicator
- Easy to adjust the blade

SPECIFICATIONS



Engine

Output power (As rated by the engine/motor manufacturer)	15.5 kW
Output power at tool shaft	17 kW
Engine cooling	Air
Fuel tank volume	8.33 l
Cylinders	2
Number of strokes	4-stroke engine
Exhaust emissions (CO2 EU V)	751 g/kWh




Transmission

Transmission speed forward	24.38 m/min
----------------------------	--------------------



Cutting equipment

Arbor diameter	25,4 mm
Blade depth control	Handwheel
Blade diameter, max	600 mm
Cutting depth, max	241 mm



Dimensions

Product size length	1750 mm
Product size height	1200 mm
Weight	239 kg