



POWER CUTTERS

HUSQVARNA K 4000 CUT-N-BREAK

Art.no: 967 07 97 01

Our Cut-n-Break method is the natural choice when you need to cut deep but want a machine with low tool and maintenance costs. The K 4000 Cut-n-Break enables you to cut as deep as 400 mm from one side. Suitable for flush cutting close to walls and floors as well as for smaller jobs like window openings where you want to avoid overcutting at the corners.

FEATURES



Cost-efficient cutting method

With the unique cut-n-break method you can work your way through the material step-by step at a low tool cost.



Exceptional cutting depth

The long body and double cutting blades allow you to make cuts up to 400 mm deep.



Perfect for flush cutting

The adjustable blade guard allows close cutting to walls and floors.



High performing blades included

Twin blades, with a very stable core and cutting performance are delivered with the machine.

TECHNICAL DATA HUSQVARNA K 4000 CUT-N-BREAK

Art.no: 967 07 97 01

HUSQVARNA K 4000 CUT-N-BREAK

ENGINE

Power Source	Corded
--------------	--------

MOTOR

Rated input power	2.7 kW
Frequency	50-60 Hz
Voltage	220-240 V
Phases	1 ph

CUTTING EQUIPMENT

Cutting depth, max	400 mm
Blade diameter, max	230 mm
Blade thickness, max	2.5 mm
Peripheral speed, max	60 m/s
Coolant	Wet /dry

DIMENSIONS

Product size length	34.1 in
Product size width	8.9 in
Product size height	12.8 in
Weight	18.5 lbs
Weight (complete product w/o side packed articles)	8.4 kg
Packaging length	1,000 mm
Packaging width	240 mm
Packaging height	360 mm
Article gross weight	13,800 g

SOUND AND NOISE

Sound power level, guaranteed (LWA)	109 dB(A)
Sound pressure level at operators ear	95 dB(A)

VIBRATION

Vibrations left/front handle	3.2 m/s ²
Vibrations right/rear handle	3.4 m/s ²

CERTIFICATIONS

Cert machine dir. 2006/42/EC Decl. No.	CB SE-89319
--	-------------



View all product details on:

<https://www.husqvarnaconstruction.com/in/power-cutters/k4000-cut-n-break/>

RELATED CONSUMABLES



POWER CUTTER BLADES
EL 10 CNB

Diameter mm:
230 mm
Segment height mm:
11 mm



POWER CUTTER BLADES
EL 35 CNB

Diameter mm:
230 mm
Segment height mm:
11 mm

RELATED EQUIPMENT & ACCESSORIES



BATTERY POWERED PRODUCTS
WT 15I

Battery eco system:
BL+X
Water pressure, max:
0.9 bar
Weight (complete product w/o side packed articles):
3.6 kg
Hose length:
3 m



WATER TANKS
WT 10 MP

Water Tank Capacity:
10 l
Weight (complete product w/o side packed articles):
2.35 kg



[husqvarnaconstruction.com](https://www.husqvarnaconstruction.com)