

Husqvarna K 970 Chain

The petrol power cutter Husqvarna K 970 two-bolt Chain has a unique cutting depth, allowing you to cut 390 mm from one side. It can also make openings as small as 11 x 11 cm, which makes it perfect for irregularly shaped openings. Ideal for cutting minor adjustments to window and door openings, when you don't want to over-cut the corner.

✿ Cutting depth, **450 mm**
max

● Output power **4.8 kW**

Article number : POWER CUTTER K 970

Chain 2-bolt - 967 66 05-01



FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.



Flexible

The 2 bolt is fully compatible with pipe cutting clamp which enables straight and precise cuts.

Irregular deep cutting perfect for small openings

Possible to make openings as small as 11X11 cm

Sturdy and reliable

Less sensitive to outer conditions and fuel variations, thanks to the cylinder design and muffler with integrated heat deflector.

- Long service intervals
- Light and powerful
- High power with less fuel
- Maintenance-free starter
- Less emissions and fuel consumption
- Wet cutting kit
- Anti-vibration system
- DuraStarter™

Easy to start

The unique design of the carburettor, cylinder and digital ignition system, together with air purge and decompression valve ensure an easy start.

- SmartCarb™
- Adjustment to openings
- Blocks, curbstones and pavers
- Cast concrete
- Deep cutting
- Floors and walls
- Grooves
- Pipes

SPECIFICATIONS

Engine

| | |
|--|----------------------------|
| Output power | 4.8 kW |
| Cylinder displacement | 93.6 cm³ |
| Electrode gap | 0.5 mm |
| Cylinders | 1 |
| Number of strokes | 2-stroke engine |
| Exhaust emissions (CO ₂ EU V) | 736 g/kWh |

Dimensions

| | |
|---------------------|---------------|
| Product size length | 456 mm |
| Product size width | 294 mm |
| Product size height | 380 mm |
| Weight | 9.6 kg |

Vibrations

| | |
|------------------------------|----------------------------|
| Vibrations left/front handle | 3.6 m/s² |
| Vibrations right/rear handle | 4.7 m/s² |

Cutting equipment

| | |
|-----------------------|---------------|
| Cutting depth, max | 450 mm |
| Blade thickness, max | 5.7 mm |
| Peripheral speed, max | 26 m/s |

Sound and noise

| | |
|---------------------------------------|------------------|
| Sound power level, guaranteed (LWA) | 115 dB(A) |
| Sound pressure level at operators ear | 104 dB(A) |