

# Husqvarna K 970 Ring

When you need to make deep cuts fast our K 970 Ring is the answer. It has an exceptionally cutting depth of 270 mm, twice the amount of a traditional power cutter. It has a high cutting capacity, can make deep cuts from one side and is the quickest method for small and medium-sized cuts, as no time is lost on installing rails.

- ✿ Cutting depth, **270 mm**  
max
- ✿ Blade **370 mm**  
diameter, max
- Output power **4.8 kW**


Article number : POWER CUTTER K 970 Ring

370 mm - 967 27 23-01



## FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.



### Deep cutting

Irregular deep cutting.



### Sturdy and reliable

Less sensitive to outer conditions and fuel variations, thanks to the cylinder design and muffler with integrated heat deflector.

### Long service intervals

A strong Poly-V belt combined with our maintenance-free starter DuraStarter™ and efficient filter-system Active Air Filtration™ ensures long service intervals.



### Light and powerful

A light, compact and powerful machine with superior power-to-weight ratio.



- Easy to start
- Maintenance-free air filter
- Active Air Filtration™
- High power with less fuel
- Less emissions and fuel consumption
- Maintenance-free starter
- SmartCarb™
- Anti-vibration system
- Wet cutting kit

- DuraStarter™
- Poly-V belt
- Adjustment to openings
- Blocks, curbstones and pavers
- Cast concrete
- Deep cutting
- Floors and walls
- Pipes

## SPECIFICATIONS

### Engine

Output power	<b>4.8 kW</b>
Cylinder displacement	<b>93.6 cm<sup>3</sup></b>
Electrode gap	<b>0.5 mm</b>
Cylinders	<b>1</b>
Number of strokes	<b>2-stroke engine</b>
Exhaust emissions (CO2 EU V)	<b>736 g/kWh</b>

### Dimensions

Product size length	<b>784.6 mm</b>
Product size width	<b>224.2 mm</b>
Product size height	<b>430.7 mm</b>
Weight	<b>13.8 kg</b>

### Vibrations

Vibrations left/front handle	<b>2.7 m/s<sup>2</sup></b>
Vibrations right/rear handle	<b>3.4 m/s<sup>2</sup></b>

### Cutting equipment

Cutting depth, max	<b>270 mm</b>
Blade diameter, max	<b>370 mm</b>
Blade thickness, max	<b>5.6 mm</b>
Peripheral speed, max	<b>55 m/s</b>

### Sound and noise

Sound power level, guaranteed (LWA)	<b>115 dB(A)</b>
Sound pressure level at operators ear	<b>104 dB(A)</b>

## ELITE-RING R10