Husqvarna SMART 56

Husqvarna Smart is our most powerful concrete vibrator for professional customers. It is an electronic high frequency vibrator with an intelligent, integrated frequency converter, combining reliability and performance with the latest technology. The high centrifugal force, stable speed and high amplitude ensure excellent concrete vibration with fewer dips. It's ergonomic design reduces hand/arm vibrations, while the lengthy cable and hose provide exceptional reach.



Frequency
Voltage
Hose length
Cable length
15 m

Article number : POKERS Smart 56 230 V | 1-Phase | 50/60 Hz | 8 M Hose - 967 85 60-02

FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.

Powerful and reliable

Constant vibrations at 12,000 vpm ensures high centrifugal force, stable speed and high amplitude, which results in excellent concrete vibration with fewer dips in any type of concrete slump.

Extend your reach

Fifteen meters of cable and up to ten metres of hose provide you with exceptional reach around the worksite.

Smart ergonomics

The innovative motor-in-head design ensures vibrations stay inside the concrete, where they belong, instead of in your hands and arms.

Less noise, no emissions

Plug-and-work

Built-in frequency converter means any regular wall socket with the appropriate voltage is all you need to plug in, power up and start working.

Fixed green light means ready

SPECIFICATIONS

Specifications

 $\begin{array}{ccc} \text{Frequency} & & \textbf{50/60 Hz} \\ \text{Voltage} & & \textbf{230 V} \\ \text{Vibration value, m/s}^2 & & \textbf{2.47} \end{array}$



Hose length
Hose Diameter
Cable length

8 m 56 mm 15 m

Husqvarna SMART 48

Husqvarna Smart is our most powerful concrete vibrator for professional customers. It is an electronic high frequency vibrator with an intelligent, integrated frequency converter, combining reliability and performance with the latest technology. The high centrifugal force, stable speed and high amplitude ensure excellent concrete vibration with fewer dips. It's ergonomic design reduces hand/arm vibrations, while the lengthy cable and hose provide exceptional reach.



Frequency
Voltage
Hose length
Cable length
15 m

Article number : POKERS Smart 48 230 V | 1-Phase | 50/60 Hz | 10 M Hose - 967 85 59-02

FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.

Powerful and reliable

Constant vibrations at 12,000 vpm ensures high centrifugal force, stable speed and high amplitude, which results in excellent concrete vibration with fewer dips in any type of concrete slump.

Extend your reach

Fifteen meters of cable and up to ten metres of hose provide you with exceptional reach around the worksite.

Smart ergonomics

The innovative motor-in-head design ensures vibrations stay inside the concrete, where they belong, instead of in your hands and arms.

Less noise, no emissions

Plug-and-work

Built-in frequency converter means any regular wall socket with the appropriate voltage is all you need to plug in, power up and start working.

Fixed green light means ready

SPECIFICATIONS

Specifications

Frequency 50/60 Hz
Voltage 230 V
Vibration value, m/s² 5.87



Hose length Hose Diameter Cable length 10 m 48 mm 15 m

Husqvarna SMART 40

Husqvarna Smart is our most powerful concrete vibrator for professional customers. It is an electronic high frequency vibrator with an intelligent, integrated frequency converter, combining reliability and performance with the latest technology. The high centrifugal force, stable speed and high amplitude ensure excellent concrete vibration with fewer dips. It's ergonomic design reduces hand/arm vibrations, while the lengthy cable and hose provide exceptional reach.



Article number : POKERS Smart 40 230 V \mid 1-

Phase | 50/60 Hz - 967 85 58-03



FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.

Powerful and reliable

Constant vibrations at 12,000 vpm ensures high centrifugal force, stable speed and high amplitude, which results in excellent concrete vibration with fewer dips in any type of concrete slump.

Extend your reach

Fifteen meters of cable and up to ten metres of hose provide you with exceptional reach around the worksite.

Smart ergonomics

The innovative motor-in-head design ensures vibrations stay inside the concrete, where they belong, instead of in your hands and arms.

Plug-and-work

Built-in frequency converter means any regular wall socket with the appropriate voltage is all you need to plug in, power up and start working.

Less noise, no emissions

Fixed green light means ready

SPECIFICATIONS

Specifications

 $\begin{array}{ccc} \text{Frequency} & & \textbf{50/60 Hz} \\ \text{Voltage} & & \textbf{230 V} \\ \text{Vibration value, m/s}^2 & & \textbf{4.62} \end{array}$



Hose length
Hose Diameter
Cable length

5 m 40 mm 15 m